


Gas Lift Bed Assembly Instructions

(please retain this instruction for future reference)

To assemble your bed you have been supplied with 12 x 12mm button head bolts, 4 x 15 mm Philips Head Screws, 6 Philips head bolts, 6 nuts and an Allen key.

Steps:

1. Connect side rail bracket to bed head and bed foot end bracket.
2. Screw 3 button head bolts (12 mm) loosely into each bracket on the head and foot end of side rail.
3. Optional angle bracket can be fitted to keep the side rails parallel with bed head and bed foot. Use 15 mm screws provided to screw through angle bracket.
4. Ensure the bed is square and then tighten the button head bolts using Allen key provided.
5. Once the bed frame has been assembled you need to set up gas lift frame on each side rail. To do this, remove lock nut from the bolt which is part of the frame.



6. Position frame (lift up) so that the hole on the gas lift arm lines up with the bolt on the frame.




7. Place gas lift arm over the bolt and secure it using lock nut.





8. Repeat same process for other side rail.

9. Place posture slats frame in position so that holes on the gas lift frame and posture slat frame line up. Make sure you place posture slat frame correctly as there is front and back end. **End that has two holes should be at bed head end!** Using these holes attach Mattress bar to the posture slat frame. This will ensure that Mattress won't slide into the bed head when accessing gas lift storage.



- Slide bolts through the holes and use nuts to secure it on to the frame. There are slots on the gas lift frame to provide adjustments for the posture slats. Make sure you adjust posture slats position so that once in "closed" position it rests on foot end rail cleat.



11. Fit support leg as per picture. (Use two holes towards foot end of the bed)



12. Note: Without mattress being placed on top of the posture slat it will be in "open" position.

NOTES:

- Button head bolts should be regularly inspected and may need to be retightened after a period of time.
- **Never drag or move assembled bed as this may damage the bed**

CARE & MAINTENANCE:

Your Silver Lynx product is crafted with care, properly maintained, it will mature over time developing a rich deep patina enhancing its appearance. To get the best performance from your Silver Lynx product, please follow the simple care instructions listed below.

- * Do not use silicone based polishes/cleaners at any time.
- * Dust surfaces gently with a feather duster then wipe gently with a slightly damp cloth/chamois.
- * Do not allow liquids, damp clothes to remain in contact with lacquered surface for extended periods.
- * Never place furniture in close proximity to heating outlets.
- * Exposure to direct sunlight will cause color fading to fabrics, leathers and timber finishes.
- * Do not allow solvents, abrasives or heated objects to come in contact with the suite.

Contact your retailer or our sales office for further information